

➤ Lead Hazard Evaluation Results

Paint Sample Standards

Surface	Threshold
Lead-Based Paint	<ul style="list-style-type: none"> ▪ 5,000 µg/gram, or ▪ 1 mg/cm², or ▪ 5,000 ppm. or ▪ 0.5%

Dust Sample Standards

Surface		Threshold	
	Risk Assessment	Lead Hazard Screen	Clearance
Floors	40 µg/ft ²	25 µg/ft ²	40 µg/ft ²
Interior Window Sills	250 µg/ft ²	125 µg/ft ²	250 µg/ft ²
Window Troughs	N/A	N/A	400 µg/ft ²

Soil Samples

Surface	Threshold
Play areas used by children <6	400 µg/gram
Other areas > 9ft ² per dwelling	1,200 µg/gram
Abatement required	5,000 µg/gram